L Number	Hits	Search Text	DB	Time stamp
1	974	709/227.ccls. and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:15
2	1365	709/224.ccls. and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:15
3	275	709/248.ccls. and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:15
4	2485	(709/227.ccls. and (@ad<19990120 @rlad<19990120)) (709/224.ccls. and (@ad<19990120 @rlad<19990120)) (709/248.ccls. and (@ad<19990120 @rlad<19990120))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:16
7	9	((((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) same (call$3 with (host server))) and (@ad<19990120 @rlad<19990120)) not ((((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) with (call$3 with (host server))) and (@ad<19990120 @rlad<19990120))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:17
6	35	(call$3 with (contact adj list)) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:18
8	14	(((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) same (call$3 with (host server))) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:19
5	721	((709/227.ccls. and (@ad<19990120 @rlad<19990120)) (709/224.ccls. and (@ad<19990120 @rlad<19990120)) (709/248.ccls. and (@ad<19990120 @rlad<19990120))) and @pd>20011204	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:21
-	477068	mobile cellular pda (pch adj phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/28 10:13
-	2914	address adj book	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 16:43
-	518	(mobile cellular pda (pch adj phone)) same (address adj book)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 16:27
-	1271062	direct (point adj3 point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 16:34

-	22745	(mobile cellular pda (pch adj phone)) same (direct (point adj3 point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 16:38
-	14832	((mobile cellular pda (pch adj phone)) same (direct (point adj3 point))) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:54
-	11	((mobile cellular pda (pch adj phone)) same (address adj book)) same (direct (point adj3 point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 16:38
-	31746	phone adj number) ((IP network) adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:20
-	1895	(mobile cellular pda (pch adj phone)) same (((mobile cellular pda (pch adj phone)) same (address adj book)) direct near3 communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 16:45
-	1410	(direct (point adj3 point)) same ((mobile cellular pda (pch adj phone)) same (((mobile cellular pda (pch adj phone)) same (address adj book)) direct near3 communication))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 16:45
-	855	((direct (point adj3 point)) same ((mobile cellular pda (pch adj phone)) same (((mobile cellular pda (pch adj phone)) same (address adj book)) direct near3 communication))) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:21
-	4055	(phone adj number) ((IP network) adj address) near5 (table database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:23
-	558	(((phone adj number) ((IP network) adj address) near5 (table database)) and (mobile cellular pda (pch adj phone))) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:23
-	202	((phone adj number) ((IP network) adj address) near5 (table database)) same (direct (point adj3 point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:23
-	111	(((phone adj number) ((IP network) adj address) near5 (table database)) same (direct (point adj3 point))) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:23
-	11786	directory near5 (address phnone name id profile device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:52

-	477068	mobile cellular pda (pch adj phone) same (directory near5 (address phnone name id profile device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:48
-	477068	mobile cellular pda (pch adj phone) with (directory near5 (address phnone name id profile device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:49
-	477068	mobile cellular pda (pch adj phone) same (directory near5 (address phnone name id profile device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:49
-	864	device with (directory near5 (address phnone name id profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 17:53
-	280	central with (user near3 profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:06
-	1045	(portable mobile pda cellular) with ((phone address) near3 book)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:34
-	6	(central with (user near3 profile)) and ((portable mobile pda cellular) with ((phone address) near3 book))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:04
-	23844	(server host central) with ((user person$3) near3 (information profile))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:04
-	164	((server host central) with ((user person$3) near3 (information profile))) and ((portable mobile pda cellular) with ((phone address) near3 book))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:04
-	8	((server host central) with ((user person$3) near3 (information profile))) same ((portable mobile pda cellular) with ((phone address) near3 book))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:04
-	257430	(obtain$3 get$4) near5 (profile information contact)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:09
-	10	((portable mobile pda cellular) with ((phone address) near3 book)) same ((obtain$3 get$4) near5 (profile information contact))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:23

-	143193	(retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:27
-	9246	((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:27
-	2996	(((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) and (portable mobile pda cellular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:35
-	504	(((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) same (portable mobile pda cellular)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 10:36
-	144	((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) same (portable mobile pda cellular)) same (connect$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:36
-	53	(((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) same (portable mobile pda cellular)) same (connect$3)) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:52
-	103960	(send$3 transmit$3) near3 (name number aDDRESS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:35
-	74	(((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) same (portable mobile pda cellular)) same (connect$3)) and ((send$3 transmit$3) near3 (name number aDDRESS))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:36
-	28	((((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) same (portable mobile pda cellular)) same (connect$3)) and ((send$3 transmit$3) near3 (name number aDDRESS))) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:45
-	84	"phone.com".as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:45
-	36	"phone.com".as. and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:48
-	192869	(direct near3 (commuication connection)) (Point adj2 point) PPP	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:51

-	28	((send$3 transmit$3) near3 (name number aDDRESS)) same ((direct near3 (commuication connection)) (Point adj2 point) PPP) same ((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:52
-	17	(((send$3 transmit$3) near3 (name number aDDRESS)) same ((direct near3 (commuication connection)) (Point adj2 point) PPP) same ((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information)))) and (@ad < 19990120 @rlad < 19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:03
-	20500	display$3 near3 name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:01
-	4132	(phone address) adj book	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 11:59
-	634	conceal$3 near3 (number address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:02
-	0	(((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) and (portable mobile pda cellular)) and (display$3 near3 name) and ((phone address) adj book) and (conceal$3 near3 (number address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:00
-	387	(((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) and (portable mobile pda cellular)) and (display$3 near3 name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:01
-	1	((((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) and (portable mobile pda cellular)) and (display$3 near3 name)) and (conceal$3 near3 (number address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:00
-	91	((phone address) adj book) not (number address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:02
-	0	(((((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) and (portable mobile pda cellular)) and (display$3 near3 name)) and ((phone address) adj book)) and (((phone address) adj book) not (number address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:03
-	51	(((phone address) adj book) not (number address)) and (@ad < 19990120 @rlad < 19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:08
-	40	((((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) and (portable mobile pda cellular)) and (display$3 near3 name)) and ((phone address) adj book)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:06

-	24	((((((retriev$3 acquir$3 request$3 obtain$3 get$4) near3 (name number (contact adj information))) with (central host server provider)) and (portable mobile pda cellular)) and (display$3 near3 name)) and ((phone address) adj book)) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:08
-	92	((server host central) with ((user person$3) near3 (information profile))) same (display$3 near3 name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:08
-	32	(((server host central) with ((user person$3) near3 (information profile))) same (display$3 near3 name)) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:08
-	2138	709/224.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:47
-	319	709/224.ccls. and (@ad19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:49
-	54	(709/224.ccls. and (@ad19990120 @rlad<19990120)) and (point near2 point)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/22 12:49
-	24199	(get$4 obtain$3 retriev$3 acquir$3 receiv$3 ask$3 interrogat$3 query$3) with (contact identification connect address) with (server host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:28
-	382519	direct$3 near3 connect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:29
-	386	((get$4 obtain$3 retriev$3 acquir$3 receiv$3 ask$3 interrogat$3 query$3) with (contact identification connect address) with (server host)) same (direct$3 near3 connect$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:29
-	99	(((get$4 obtain$3 retriev$3 acquir$3 receiv$3 ask$3 interrogat$3 query$3) with (contact identification connect address) with (server host)) same (direct$3 near3 connect$3)) same (display$3 present$3 hid$3 show$3 conceal$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:30
-	66	((((get$4 obtain$3 retriev$3 acquir$3 receiv$3 ask$3 interrogat$3 query$3) with (contact identification connect address) with (server host)) same (direct$3 near3 connect$3)) same (display$3 present$3 hid$3 show$3 conceal$4)) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 12:31
-	5956	$3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:12

-	825	($3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference))) same (connect$3 authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:14
-	304	(($3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference))) same (connect$3 authenticat$3)) same (network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:15
-	125	((($3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference))) same (connect$3 authenticat$3)) same (network)) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:15
-	8834	$3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference ((user device) near3 information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:03
-	1589	($3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference ((user device) near3 information)))) same (connect$3 authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:44
-	904	(($3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference ((user device) near3 information)))) same (connect$3 authenticat$3)) same (network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:15
-	307	((($3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference ((user device) near3 information)))) same (connect$3 authenticat$3)) same (network)) and (@ad<19990120 @rlad<19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:00
-	152126	(directory adj service) "411"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:21
-	16053	((directory adj service) "411") same (connect$3 authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:04
-	16056	7same (((directory adj service) "411") same (connect$3 authenticat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:21
-	20	($3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference ((user device) near3 information)))) same (((directory adj service) "411") same (connect$3 authenticat$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:17
-	148994	"411"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:21

-	15	($3relat$3 with ((url ip mac network phone number address) near5 (name sex race origin nationality preference ((user device) near3 information)))) same "411"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:00
-	1792	709/227.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:00
-	920	709/227.ccls. and (@ad < 19990120 @rlad < 19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:14
-	470	((709/227.ccls. and (@ad < 19990120 @rlad < 19990120)) and ((url ip mac network phone number address) near5 (name sex race origin nationality preference ((user device) near3 information)))) and (connect$3 authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:17
-	472	(709/227.ccls. and (@ad < 19990120 @rlad < 19990120)) and ((url ip mac network phone number address) near5 (name sex race origin nationality preference ((user device) near3 information)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:44
-	275	display$3 near3 (contact adj information)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:44
-	23	(display$3 near3 (contact adj information)) same (connect$3 authenticat$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:44
-	1	((display$3 near3 (contact adj information)) same (connect$3 authenticat$3)) and (@ad < 19990120 @rlad < 19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:45
-	130	call$3 with (contact adj list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:47
-	52738	(contact address phone) adj (list table register$3 registrat$3 book directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:52
-	33474	call$3 with (host server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:54
-	7887164	creat$3 produc$3 generat$3 gathter$3	·USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:54

-	9192	(creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:55
-	15	((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) with (call$3 with (host server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:59
-	5	(((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) with (call$3 with (host server))) and (@ad < 19990120 @rlad < 19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 09:06
-	34	((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) same (call$3 with (host server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 08:59
-	14	(((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) same (call$3 with (host server))) and (@ad < 19990120 @rlad < 19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:17
-	9	((((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) same (call$3 with (host server))) and (@ad < 19990120 @rlad < 19990120)) not ((((creat$3 produc$3 generat$3 gathter$3) with ((contact address phone) adj (list table register$3 registrat$3 book directory))) with (call$3 with (host server))) and (@ad < 19990120 @rlad < 19990120))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:17
-	31	(call$3 with (contact adj list)) and (@ad < 19990120 @rlad < 19990120)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 15:16